




BCI 34-610 [12V68Ah]



Dimensions (mm)




Physical Specification (mm)

Nominal Voltage	12V	
Nominal Capacity(20HR)	68Ah	
Dimension	Length	268±2mm(10.55inches)
	Width	172±2mm(6.77inches)
	Container Height	183.5±2mm(7.22inches)
	Total Height(with Terminal)	205±2mm(8.07inches)
Weight	Approx 16.8Kg(37lbs)	
Acid	1.280±0.015g/cm ³ (25°C)	
Standard Terminal	1	
Cell layout	1	
Hold-Down	B01	
Cell plate qty	/	
Case	Black-PP Material	
Cover	Black-PP Material	
Handle	Black-PP Material	
QTY/PLT/layer	/	


Electrical Specification


Rated Capacity	20 hour rate(3.4A)	68Ah
Reserve Capacity	114min	
Cold Cranking Performance Amps@0°F(-18°C)	610A	

Discharge Characteristics(25°C,70°F)




Standard Terminal (mm) Cell Layout

Terminal Type	D		Cell Layout
	Positive	Negative	
1	19.5 ⁰ _{-0.3}	17.9 ⁰ _{-0.3}	



Figure(1)

Discharge Characteristics(-18°C,0°F)



*Values are subject to variation of +/- 5% in normal manufacturing processes.
 *Technical specifications and the product line above could be changed without prior notice.