




# EFB-LB4 [12V75Ah]



## Dimensions (mm)



## Electrical Specification

Rated Capacity	20 hour rate(3.75A)	75Ah
Reserve Capacity	130min	
Cold Cranking Performance Amps@0°F(-18°C)	700A	

## Standard Terminal (mm)      Cell Layout


Terminal Type	D	
	Positive	Negative
1	19.5 <sup>0</sup> <sub>-0.3</sub>	17.9 <sup>0</sup> <sub>-0.3</sub>

Figure(0)


## Physical Specification

Nominal Voltage	12V	
Nominal Capacity(20HR)	75Ah	
Dimension	Length	315 +0/-2mm(12.4inches)
	Width	175 +0/-2mm(6.89inches)
	Container Height	175 +0/-4mm(6.89inches)
	Total Height(with Terminal)	175 +0/-4mm(6.89inches)
Wet Weight	Approx 20.2Kg(44.54lbs)	
Standard Terminal	1	
Cell layout	0	
Hold-Down	B13	
Cell plate qty	/	
Case	Black-PP Material	
Cover	Black-PP Material	
Handle	/	


## Discharge Characteristics(-18°C,0°F)



## Discharge Characteristics(25°C,70°F)



## 50% DOD Cycle Life Characteristics



\*Values are subject to variation of +/- 5% in normal manufacturing processes.  
 \*Technical specifications and the product line above could be changed without prior notice.